
From: Schirra, Christine
To: Patterson, Leslie; Hoff, David; Weimer, Noreen
CC: Hasman, David
Sent: 6/8/2016 9:05:20 PM
Subject: RE: South Dayton Dump FOIA Request - Search Terms [BRICKER-WS.FID33029]

Leslie,

Thank you for your quick response. The below string looks fine to us to use initially. We would request (as we discussed last week on the phone call) to do an initial test batch on the data set using the below search string, and after having those results, jointly determine whether it is necessary to edit the search string. From that initial test, could you provide us with your result count/search term hit count?

I do not currently have authorization to spend beyond \$1,000 (the amount authorized by our initial request letter). My understanding from talking to David is that, after you proceed with the test batch, you should have a better feel for the number of documents that the searches may produce, and will then better be able to predict the cost involved. Please confirm if I am misunderstanding anything in this regard.

Thanks,
Christy

From: Patterson, Leslie [mailto:patterson.leslie@epa.gov]
Sent: Tuesday, June 07, 2016 12:10 PM
To: Schirra, Christine; Hoff, David; Weimer, Noreen
Cc: Hasman, David
Subject: RE: South Dayton Dump FOIA Request - Search Terms [BRICKER-WS.FID33029]

Christine, we have combined most of the search terms you proposed into the following string that we propose to use:

((SDDL OR "south Dayton dump") AND ("fly ash" OR transformers OR PCBs OR solvents OR waste OR disposal OR transport OR hazardous OR DP&L OR DPL OR "Dayton power and light" OR "Dayton power & light" OR Grillot OR Grilliot OR Boesch OR Ottoson)) OR ((Grillot OR Grilliot OR Boesch OR Ottoson) AND (DP&L OR DPL OR "Dayton power and light" OR "Dayton power & light" OR "fly ash" OR disposal OR waste OR solvents OR PCBs OR transformers))

We dropped "Broadway Dump" and "Springboro" because we think that they are very unlikely to pick up any documents not picked up by "SDDL" and "South Dayton Dump", and may pick up some that aren't related to the site. We added "SDDL" because that's how we commonly refer to the site. Let me know if this string is acceptable to you. Thanks.

Leslie Patterson
Remedial Project Manager
U. S. Environmental Protection Agency, Region 5
Superfund Remedial Response, SR-6J
77 West Jackson Boulevard
Chicago, IL 60604
tel: (312) 886-4904
fax: (312) 692-2491
patterson.leslie@epa.gov

From: Schirra, Christine [mailto:CSchirra@bricker.com]
Sent: Tuesday, June 07, 2016 9:43 AM
To: Hoff, David <hoff.david@epa.gov>; Weimer, Noreen <weimer.noreen@epa.gov>
Cc: Patterson, Leslie <patterson.leslie@epa.gov>; Hasman, David <DHasman@bricker.com>

Subject: South Dayton Dump FOIA Request - Search Terms [BRICKER-WS.FID33029]

David & Noreen,

Thank you again for taking the time to speak with us last week regarding your procedure for conducting email searches. In follow up to our call, attached please find a draft proposed list of search terms for use in conducting searches of electronic emails. Before we mutually agree on a final list of search terms to use, please let us know, after you speak with the proper person on this case, how you recommend to edit these search terms to account for particular terminology that US EPA may use that we would be unaware of. Please also let us know if you have other suggestions for how to edit these search terms, in terms of substance, quantity, or otherwise.

Noreen, were you able to learn any information about the number of potential custodians, and the ratio of Tier 1 versus Tier 2 custodians?

Please don't hesitate to reach out to Dave Hasman or me with any questions. Thank you.

Christy

The logo for Bricker & Eckler LLP, featuring a small icon of a building or structure to the left of the text "Bricker & Eckler LLP".

Bricker &
Eckler LLP

Christine Rideout Schirra

Bricker & Eckler LLP | 100 South Third Street | Columbus, OH 43215

Direct Dial 614.227.8810 | cschirra@bricker.com | [v-card](#) | www.bricker.com

This electronic transmission contains information from the law firm of Bricker & Eckler LLP which is privileged, confidential or otherwise the exclusive property of the intended recipient or Bricker & Eckler LLP. This information is intended for the use of the individual or entity that is the intended recipient. If you have received this electronic transmission in error, please notify us by telephone at 614-227-8899, or by electronic mail at webmaster@bricker.com. Please promptly destroy the original transmission. Thank you for your assistance.